





yl




CE



杭州亚良气动工具有限公司
HANGZHOU YALIANG AIR TOOLS CO., LTD.

WT-1100 重型多功能气动角码（销钉）打孔器

WT-1100 heavy multifunctional pneumatic angle code (pin) puncher



在不更换模具的情况下，直接打欧标槽，偏心槽的孔。把靠尺按下去，可打K槽的孔。可根据不同工厂，不同尺寸的铝型材定制模具。气压保证在6.3kg，可打实厚2.5mm以下的铝型材的孔。

In the case of not changing the mold, directly punch the holes of European standard groove and eccentric groove. Press down the guiding ruler to drill the hole of K groove. Molds can be customized according to different factories and different sizes of aluminum profile. The hole of aluminum profile with actual thickness less than 2.5mm can be drilled when the air pressure is 6.3kg.

WT-1050F 中型多功能气动角码（销钉）打孔器

Wt-1050F medium sized multifunctional pneumatic angle code (pin) puncher




在不更换模具的情况下，直接打欧标槽，偏心槽的角码孔或销钉孔，把靠尺按下去，可打K槽的角码孔或销钉孔。可根据不同工厂，不同尺寸的铝型材定制模具。气压保证在6.3kg，可打实厚1.2mm以下的角码孔或 $\varnothing 5\text{mm}$ 孔厚度在2.0mm厚度的销钉孔。

In the case of not changing the mold, directly punch the European standard groove, eccentric groove angle code hole or pin hole, press down the guiding ruler to punch the K groove angle code hole or pin hole. Molds can be customized based on different factories, different sizes of aluminum profile. When the air pressure is 6.3kg, the corner code hole with a real thickness of less than 1.2mm or the pin hole with a thickness of $\varnothing 5\text{mm}$ and a thickness of 2.0mm can be drilled.

WT-1100A 重型气动异形排水打孔器

WT-1100A heavy pneumatic special-shaped drainage puncher




可根据不同工厂不同尺寸的型材定制各种蝴蝶形、长方形、椭圆形打孔器。

We can customize various butterfly shaped, rectangular and oval puncher according to different size profiles of different factories.



WT-1050气动注胶打孔器

WT-1050 pneumatic rubber injection puncher



可打各种铝型材的注胶孔，孔径为 $\varnothing 5\text{mm}$ ，也可根据客户需要，定制各种孔径的打孔器。

It can drill the glue injection holes of various aluminum profiles, with the diameter of 5mm. It can also customize the puncher with various diameters according to the needs of customers.

WT-1100B 重型气动隐形排水打孔器

WT-1100B heavy duty pneumatic invisible drainage puncher




可根据不同工厂不同尺寸定制，尺寸不超过30mm×4mm
以下的各种隐形排水打孔器。

According to different sizes of different factories, it can be customized all
kinds of invisible drainage puncher below the size of 30mmX4mm.

WT-1050G 中型气动隐形排水打孔器

WT-1050G medium sized pneumatic invisible drainage puncher



可根据不同工厂不同尺寸定制尺寸不超过15mmX3mm
的各种隐形排水打孔器。


It can be customized, according to different sizes of different factories, various
invisible drainage puncher with the size no more than 15mmX3mm.

专利产品，仿冒必究

The counterfeiting of patented products must be investigated

专利号: ZL2016 2.0245217.3

Patent Number



WT-1050T 中型气动排水打孔器

WT-1050T medium sized pneumatic drainage puncher



可根据不同工厂不同尺寸定制尺寸15mm×2mm的长方形排水孔和20mm×8mm蝴蝶形排水孔的打孔器。


According to different sizes of different factories, it can be customized puncher for rectangular drainage hole with the size of 15mm x 2mm and butterfly drainage hole with the size of 20mm 8mm.

专利产品，仿冒必究

The counterfeiting of patented products must be investigated

专利号: 2019 2011 2832.0

Patent Number 2019 3003 7580.5



气动轻钢龙骨枪

Pneumatic Light Steel Keel Gun

WT-1050C

气动轻钢龙骨枪是一种常用建筑工具，用于将二层轻钢龙骨冲压后连接起来，国内外市场上现有龙骨钳都是手动的，使用时必须由二人共同操作，一人将二层龙骨捏住，另一人两手握住二个手柄用力挤压完成一次冲压作业，缺点是，劳动强度大，施工质量低，费时费工。

本产品结构新颖，使用十分方便，头部根据现场需要可360度轻松旋转，可由一人完成操作，劳动强度低，冲压后粘接牢固，效率比手动提高5-10倍。可终身免费维修，冲针确保10万次以上。

It is a common building tool, which is used to connect two layer light steel keel after stamping. The existing keel tool's on the market at home and abroad are manual and need two persons operate together. One holds the two layers of the keel, while the other holds the two handles and squeezes them to complete a stamping operation. The disadvantage of the manual one is high labor intensity, low construction quality. Waste time and labor.

The pneumatic light steel keel gun is with new structure and easy to operate. The head can easily rotate 360 degree according to the scene of the site. One person can complete the operation. Low labor intensity, strong adhesion after stamping. The efficiency is raised 5-10 times more than that of manual operation. Lifelong maintenance free. Punching needle is guaranteed 100,000 times above.



WT-1050D

气动打孔器

Professional Pneumatic Puncher


WT-1050



WT-1050B




WT-1100C



最大孔边距2.5公分

The maximum hole margin 2.5cm



目前市面上老款的气动打孔器普遍存在易损坏，返修率高，维修困难等缺陷，增加了使用成本，我公司根据市场需求开发了这款气动打孔器，并进行了国家专利申请。

本产品适用于五金加工，广告字制作，汽车维修、钣金等行业。点焊或铆接材料的小面积冲孔特别是广告加工行业，用于金属字牌、发光字加工过程中所需的螺丝铆钉孔、漏水孔等打出的孔平齐美观。解决了电钻开孔困难容易打偏的问题，是厂家必备工具，大大提高工作效率。

At present, the old pneumatic puncher on the market has the common defects, as easy to damage, with high repair rate and hard to maintenance, etc., which increased cost of use. To meet the market demand, our company has developed this new type pneumatic puncher and has applied for national patent.

This puncher is suitable for hardware processing, advertising word production, car maintenance, sheet metal industries, etc. Spot welding or riveting material for small area punching, especially advertising processing industry, e.g. rivet hole and leak hole required for metal word plate and luminous word processing. The holes made by this pneumatic puncher look smooth and nice, which solves the problem that electric drill is difficult to make the hole and easily to deflected. Therefore, this pneumatic puncher is an essential tool and greatly improves the working efficiency.

规格型号 Model No.	打孔直径(mm) Dia.(mm)	打孔板厚(mm) Thickness(mm)	进气接头 Inlet port (N) PT	空气压力 Air pressure (psi)	最大边孔距 Max. hole (mm)
WT-1050	3.2、4.2、5	铝板≤1.5 Aluminum sheet ≤1.5 镀锌板≤1 Galvanized sheet ≤1 不锈钢板≤0.8 Stainless steel sheet ≤0.8	1/4"	90	25
WT-1050B(中型) Medium sized	3.2、4.2、5、6、 7、8、9、10	铝板≤2 Aluminum sheet ≤2 镀锌板≤2 Galvanized sheet ≤2 不锈钢板≤1.5 Stainless steel sheet ≤1.5	1/4"	90	25
WT-1100C(重型) Heavy duty	4.2-12	铝板2-4 Aluminum sheet 2-4 镀锌板1.5-2.5 Galvanized sheet 1.5-2.5 不锈钢板1-2 Stainless steel sheet 1-2	1/4"	90	25

杭州亚良气动工具有限公司
HANGZHOU YALIANG PNEUMATIC TOOLS CO.,LTD.


地址：杭州市萧山区义桥镇罗幕村（周家3号）
ADD: LUOMU VILLAGE (ZHOU JIA 3 NUMBER) YIQIAO TOWN, XIAOSHAN, HANGZHOU
传真：0571-82219218 电话：0571-82219111
FAX: 0571-82219218 TEL: 0571-82219111

手机：13967113678
M.T: 13967113678

E-MAIL: YAOYALIANG@SINA.COM Http://hzylqdgj.1688.com



yl



CE



杭州亚良气动工具有限公司
HANGZHOU YALIANG AIR TOOLS CO., LTD.