

品牌源于专注

用最好的产品，为客户提供最好的服务

BRAND FROM CONCENTRATE

With The Best Products, Providing Customers With The Best Service





CONTENTS

目 录

● 企业介绍	04
Company Profile	
● 生产设备	05
Production Equipment	
● 技术服务	06
Technology & Service	
● 产品及应用	07
Product Application	
● PVC地板膜系列	09
PVC Floor Film Series	
● PVC墙板膜系列	17
PVC Wallboard Film Series	
● 户外膜系列	23
Exterior Foil Series	
● 电镀膜系列	25
Electroplating Film Series	
● 转印大理石膜系列	26
Marble Grains Series	
● 转印木纹膜系列	34
Wooden Grains Series	
● 转印3D膜系列	38
3D Series	
● 转印单色系列	40
Monochrome Series	
● 注意事项	42
Precautions for Use	

COMPANY PROFILE 企业介绍

- 2001年成立
Founded in 2001
- 致力于多种装饰膜的研发和生产
Specializing in researching, developing and producing various decorative film.
- 优秀的管理团队，专业的技术人员，先进的设备和严格的品质管理体系是高品质产品的有力保证
Excellent management team, specialization technology troops, advanced equipments and strict quality control system ensure hi-quality products.
- 高光，亚光，金银等金属色，镭射，仿木纹，仿大理石纹，3D等呈现各种精美装饰效果
Creating glossy, matte, gold and silver metal color, laser, imitation wood grain, marble and 3D perfect performance.
- 特殊新技术的应用，提高了产品的耐磨耐刮，耐溶剂，耐氧化，耐热耐寒等性能
Application of some new special technologies provide our products good performance such as abrasive resistance, anti-scratching, solvent resistance, oxidation resistance, heat and freeze resistance etc.
- 产品绿色环保
Environmental friendly, does not harm to health.

OUR PRODUCTS 产品介绍

- LVT & SPC 地板彩膜
PVC decorative films for LVT & SPC floors
- PVC 装饰膜
PVC decorative films
- PET 热转印膜
PET hot stamping foils
- PET高光耐磨抗污膜
PET high gloss wear-resistant anti-fouling films
- PVC 阻燃装饰膜
PVC flame retardant decorative films
- PVC 抗菌装饰膜
PVC antibacterial decorative films
- 户外耐候装饰膜
Outdoor weather resistant decorative films (exterior foil)
- PVC钢板、铝板装饰膜
PVC decorative films for steel plates and aluminum plates

APPLICATION 应用领域

- LVT,WPC,SPC 塑胶地板
LVT/WPC/SPC plastic floors
- PVC,MDF, 实木及多层实木，钢板及铝板等装饰板
Decorative panels such as PVC, MDF, solid wood and multilayer solid wood, steel plate and aluminum plate
- PVC,ABS,PS,PP,PC,PE等装饰板装饰条
PVC, ABS, PS, PP, PC, PE and other decorative panels
- 户外门，窗，墙体，屋面
Outdoor doors, windows, walls, roofs



SOPHISTICATED EQUIPMENT AND ADVANCED TECHNOLOGY 设备精良，工艺先进



不断增加核心竞争力来捍卫正海品牌的地位
以良好的客户服务求生存，以雄厚的技术力量求发展

Increasing core competitiveness, to defend  brand position
With good customer service to survive with strong technical force and development



SUPERB TECHNOLOGY
SINCERE SERVICE

精湛的技术 真诚的服务



PRODUCT APPLICATION

产品及应用



公司主要生产正海PET热转印膜系列，正海PVC装饰膜系列，正海金银线系列，品种有PET金属膜、哑光膜、亮光膜、珠光膜、镭射洗铝膜及各种PVC复合膜。产品广泛用于PVC扣板、相框、铝塑天花板、复合材料地板、PVC角线、PS、PP型材、石塑线条、PVC大板、WPC发泡板、密度板、LVT与SPC地板等装饰材料。

Our company mainly produces Zhenghai PET hot stamping foils series, Zhenghai PVC decorative film series, Zhenghai gold & silver strips series. The varieties include PET metallic foils, matte foils, glossy foils, pearl foils, laser-washed aluminum foils and various PVC composite films. Products are widely used in decorative materials such as PVC wall panels, photo frames, aluminum-plastic ceilings, composite floors, PVC corners, PS/PP profiles, stone-plastic composite profiles, PVC marble sheets, WPC foam boards, MDF boards, LVT and SPC floors.





ZH-81111-1效果图



ZH-81111-1



ZH-81010-1



ZH-81010-1效果图



ZH-81001 编织地毯 1000 × 1000 mm



ZH-81011-1 石纹 1300 × 1270 mm




ZH-81102-1 伏特铁板 1000 × 1270 mm




ZH-82003-1 铁锈纹 1300 × 1570 mm



ZH-81002




ZH-81004-1



ZH-81005



ZH-81033-1



ZH-81034



ZH-81107-1 素雅橡木 1300 × 1270 mm



ZH-81107-1 效果图



ZH-81110-1 效果图



ZH-81110-1 橡木 1000 × 1270 mm



ZH-81161 橡木 效果图



ZH-81161 橡木




ZH-81162



ZH-81162 效果图




ZH-82012-1 吉利尔灰橡 效果图



ZH-82012-1 吉利尔灰橡 1000 × 1570 mm



ZH-82012-2



ZH-82012-3



ZH-82012-4



ZH-82012-5



ZH-82012-6



ZH-82012-7



ZH-82013-1 灼热盛夏（酸枝木） 1000 × 1580 mm



ZH-82013-1 灼热盛夏（酸枝木） 效果图




ZH-65001+1 隐式柚木 双基型



ZH-65002+1 隐式柚木 双基型



ZH-81125 白刺橡木



ZH-81125 白刺橡木 效果图



ZH-81141-1 锯纹橡木 效果图



ZH-81141-1 锯纹橡木



FY-71353D 浅黄橡木



FY-76465E 影木




FY-81045-7B2 布纹



FY-81103-11E 吉盛橡木



FY-81145-1J 白枫木



FY-81159-2Z 鱼骨拼



FY-81161-2Q 橡木







Ambient laying scheme composed by pieces 60X200 CM



Ambient laying scheme composed by pieces 30X10 CM

FY-82043-1 鱼肚白



Ambient laying scheme composed by





Zhenghai


户外膜系列



77001-E 金橡木



77003-E 深橡木



77020-E 烟灰



77002-E 胡桃木



77019-E 奶白



77023-Z 罗马洞石



77027-Z 椰米黄






77028-E 红花梨




77029-Z




77030-Z



效果图



ZL-465A



68168




ZL-68441 金圆环




ZT-479A 白银沙



ZT-479E 黑金沙



ZT-480A 金色闪电纹



ZT-483E 金色闪电纹



ZD-007 幻彩白



Z-710 拉丝古铜




ZTD-000J7 香槟金



ZTD-000J8 玫瑰金



Z-711 拉丝玫瑰金




ZTD-000G 纯银



ZTD-000J5 纯金



Z-708 拉丝金



Z-709 拉丝银



ZL-064C深啡网




ZL-106D黄金贝



ZL-120D2瓦伦西亚米黄



ZL-125C杭灰



ZL-157K啡网



ZL-162A金线那卡



ZL-163A君子兰



ZL-166C浅绿玉石



ZL-167B红冰玉



ZL-168D黄龙玉



ZL-177B碎冰花






ZL-178A黄松石



ZL-180B阿富汗黑金花



ZL-181E黑白根



ZL-182D意大利黑金花



ZL-185D黄爵玉



ZL-186B紫罗红



ZL-0203A新世纪



ZL-0215D1法国鎏金



ZL-0216D



ZL-0218C



ZL-0219D汉粉玉



ZL-0220B红花紫玉



ZL-0231D



ZL-0232C 青冰玉



ZL-0232D黄冰玉




ZL-0238D菊花黄



ZL-0239D




ZL-0241D1凤凰玉



ZL-0242E大黑金花




ZL-0247B高山流水



ZL-0248B金帝皇




ZL-0250K宫廷黄




ZL-0253D



ZL-0254A意大利山水大花白




ZL-0255A孔雀开屏




ZL-0256D玲珑玉




ZL-0257D黄蜘蛛



ZL-0258D莎安娜米黄




ZL-0264A玉冰花



ZL-0267A黄冰玉



ZL-0268A 罗马白洞石



ZL-0282A1 土耳其金丝米黄




ZL-0283C 流沙石



ZL-0287A 碧海蓝天



ZL-0288B 天山白玉




ZL-0289B 红龙玉




ZL-0290B 琥珀玉



ZL-0292B 艾利根




ZL-0332D 流沙金



ZL-0333C




ZL-0336B 金龙玉



ZL-0338A 细花白



ZL-0339A 竹节玉



ZL-0339C




ZL-0342A 西米



ZL-0346E 小黑金花



ZL-0347A 木化玉




ZL-0348A 水晶白玉




ZL-0349B 红花冰玉



ZL-0350C 青玉拼纹




ZL-0354J 金色黄石纹




ZL-0355D 松香黄



ZL-0356A 卡布奇诺




ZL-0357C 布朗灰



ZL-0358K 土耳其



ZL-0359C 洞石




ZL-0360K雨林棕



ZL-0361C细纹灰洞石




ZL-0362C木化石



ZL-0363E杜鹃红



ZL-0367D麻石




ZL-0371D土耳其金世纪米黄



ZL-0372A墨韵紫玉




ZL-0381E




ZL-0382D咖网



ZL-0384A哥斯砂岩




ZL-0385B红线玉



ZL-0254A1




ZL-0395A雅士白



ZL-0488D



ZL-0399D文化墙




ZL-0400B幻紫金丝白



ZL-0401B卡里冰玉



ZL-0402A碧海金沙




ZL-0469C




ZL-0404B红龙玉



ZL-0474C



ZL-0413C灰石英石



ZL-0416A缤纷玉花



ZL-0418A绅士白玉



ZL-0419A银丝白玉



ZL-0470C



ZL-0422A香槟白玉



ZL-0423B仿古红砖




ZL-0423C仿古青砖




ZL-0424A卡拉卡塔白



ZL-0425A斑斓石马赛克




ZL-0440C




ZL-0444A




ZL-079K



ZL-109B苹果木



ZL-192B




ZL-0236A橡木



ZL-0236B橡木



ZL-0236C橡木



ZL-0236D橡木



ZL-0237A柚木




ZL-0237K柚木




ZL-0337B虎木




ZL-0343A珍珠白橡木




ZL-0344K直纹橡木



ZL-0345A水曲柳




ZL-0345K水曲柳



ZL-0364A米黄白橡



ZL-0365K金柚木




ZL-0373K胡桃木




ZL-0376K大花梨木







ZL-0377K枫桦木




ZL-0378D金丝楠木




ZL-0379K奥古曼




ZL-0380B立体榆木



ZL-0387A白枫木



ZL-0388K花樟



ZL-0389A檀木



ZL-0389K檀木



ZL-0390D栎木



ZL-0390K 栎木



ZL-0391A 锯齿橡木



ZL-0392K 金檀木




ZL-0393K 橡木



ZL-0394K 花梨木




ZYT-0433K




ZL-0471C



ZYT-0485B



ZYT-0485C



ZYT-0485K




ZYT-0466E






ZL-0233C蓝天白云



ZL-0301C玉雕冰花



ZL-0302B白玉牡丹



ZL-0304D彩贝



ZL-0305B如鱼得水



ZL-0306C玉雕山水



ZL-0307B玉雕红花



ZL-0308A云海白



ZL-0309C青玉浮雕



ZL-0310B金龙玉




ZL-0311C




ZL-0312C



ZL-0313D




ZL-0405A马赛克



ZL-0414A皮条墙纸



ZL-0414C皮条墙纸



ZL-0415D索非




ZL-0420A卡通娃娃






ZL-000A 纯白




ZYT-000A 纯白




ZL-000A10 (9010) 奶白



ZL-000A12(9001) 象牙白



ZL-000B8 橘红




ZL-000B9 酒红




ZL-001B10




ZL-000B11




ZL-000C3




ZL-000C6




ZL-000C10




ZL-000C11




ZL-000D1




ZL-000D2




ZL-000E 纯黑




ZL-000E5 (7037) 灰




ZL-0009G7 (9006) 银灰



ZYT-000K3 (8019) 深咖




ZL-000C4 翠绿




ZL-000C8 紫罗兰




ZL-000C9 丁香紫



ZL-000K5 驼色



ZL-000E7 烟灰兰



ZL-000E8 浅灰

PRECAUTIONS FOR USE

热转印膜使用注意事项

• 转印膜的存放：

轻拿竖放，防水防潮，存放在通风、阴凉、干燥处为宜。避免膜卷正面受压。

储存太久或经过挤压的转印膜，使用前需仔细检查图案是否完整，油墨有无反粘现象，有任何异常现象，请勿使用。

• 转印膜的品质检3要素：

- 1.保持生产环境干净，导棍、热压轮表面完损无缺，无灰尘杂物。
- 2.检查转印膜与板材（型材）的烫印牢度：采用百格测试，以胶带拉不掉油墨层为合格效果。
- 3.检查油墨与UV层的附着力：采用百格测试，以胶带拉不掉UV层为佳。

• 关于UV转印大板转印层开裂、起泡脱层现象的注意事项

- 1.建议客户使用免钉胶在安装墙面时控制胶的使用量。免钉胶含有一定量的稀释剂成分，胶水涂多了稀释剂含量也大。这些稀释剂会慢慢向表面渗透，破坏转印层与板之间的结合力。胶水涂得厚的部位对板材的拉力也跟其他部位不一致，加上各层不同材料本身特性不同会导致存在一定的内应力，综合作用力到了一定程度会导致开裂、起泡脱层现象。建议涂胶时最好采用均匀点胶的方式，同时控制点胶的量。
- 2.检查转印时转印层与板材的烫印牢度。采用百格测试。如果本来转印不牢，当收到外力破坏时更容易出问题。建议生产过程中经常检查。
- 3.板材配方中增塑剂的迁移也可能造成转印胶水层粘结强度下降，造成开裂、脱层现象。免钉胶中稀释剂的渗透也会加快增塑剂迁移。选用不易迁移的增塑剂。
- 4.光油的选用及固化工艺也可能造成开裂脱层现象。建议客户反复试验确定工艺可行后在批量生产。

• Storage of transfer film:

Handle gently and vertically place it, conduct water & moisture proofing; store at ventilated, shady and dry place. Prevent front side of film roll from being pressed. In case of storing transfer film for too long time or storing the transfer films that have been heated & pressed, please carefully check if the pattern is complete and if the ink has reverse adhesion before use; In case of any abnormality, stop using.

• 3 factors for quality inspection of transfer film during use:


1. Keep production environment clean, surfaces of a guide roll and a hot stamping rubber wheel in perfect condition, and keep it free from dust and sundries.
2. Check the hot stamping firmness between transfer layer and panel (profile) in transferring; Apply the adhesion test; Conduct the test until the UV layer can't be pulled off by the cohesive tape.
3. Check the adhesive force between oil ink layer and UV layer: apply adhesion test, conduct the test until the UV layer can't be pulled off by the cohesive tape.

• Precautions about crack, bubbling and delamination of transfer layer of UV transfer plate

1. It is suggested that customers shall control the glue usage amount when applying nail-free glue to install the wall face. Since the nail-free glue has certain content of solvent component, too much glue will cause big content of solvent. These solvent may slowly penetrate to the surface and damage the binding force between the transfer layer and the board. The pulling force of the board with thick glue is also inconsistent with that of the other part; Furthermore, cracking, bubbling and delaminating may occur after the comprehensive acting force reaches certain degree because certain internal stress may exist due to the difference of the characteristics of different materials of various layers. It is suggested to apply the uniform gluing method in gluing, in the meantime, control the gluing amount.
2. Check the hot stamping firmness between the transfer layer and the board in transferring. Apply adhesion test. If the transfer is not firm, it is easier to go wrong when it suffers from the damage by external force. It is suggested to check frequently during the production process.
3. The migration of plasticizer in board formula may also cause the declination of adhesion intensity of the transfer glue layer, and cause crack and delamination. The permeation of diluent in the nail-free glue can speed up the migration of the plasticizer. Therefore, the plasticizer which is not easy to migrate should be used.
4. Use of gloss UV oil and solidifying technique may also cause the crack and delamination. It is suggested to start the batch production after customer confirms the technique feasibility through repetitive test.

上海正海装饰材料有限公司
SHANGHAI ZHENGHAI DECORATIVE MATERIAL CO., LTD
靖江正恒装饰材料有限公司
JINGJIANG ZHENGHENG DECORATIVE MATERIAL CO., LTD

2021年3月版



上海办公地址: 上海市嘉定区安智路155号万创坊325 联系人: 林艳 13816378226
Shanghai Office: No. 325 Wanchufang, No. 155, Anzhi Road, Jiading District,
Shanghai City Contact person: Lin Yan 13816378226
工厂地址: 江苏省靖江市新桥镇迎新路6号新工业园区 邮编: 214537
Add: New Industrial Park, No. 6, Yingxin Road, Xinqiao Town, Jingjiang City,
Jiangsu Province 214537, P.R. China.
TEL/Fax: 0523-84329889 13816379876 13917658080
网址: <http://www.zhenghaifilm.com>
E-mail: yiyuan@zhenghaifilm.com

色差以实物为准, 以实物为准。