



CHUANYING
川盈五金

广东川盈五金科技有限公司

GUANGDONG CHUANYING HARDWARE TECHNOLOGY CO., LTD.



川盈官方网站



ADD: 广东省肇庆市高要区金利镇北区金源大道川盈闭门器厂

CHUANYING doorcloser factory, JINYUAN road ,north area of Jinli Town ,
Gaoyao District,Zhaoqing City,Guangdong Province.



TEL: +86-758-8533030



FAX: +86-758-8533028



E-mail: jlcylhardware@163.com



川盈五金
CHUANYING

主要材质: 铝合金
Material: Aluminum alloy
表面处理: 静电喷涂
Finish: Electrostatic paint

适用范围: 塑钢门、木门、铝门、铁门、防火门
Applicable scope: wooden door, steel door, Aluminum door, steel door, Fire door

可调节闭门段: 闭门段、上锁段
Adjustable closing section: A closed-door segment, locked section
特性: 开合20万次无损
Feature: No damage after opening/closing of 200,000 times
保证期限: 长达2年保证期限
Warranty period: 2 years of warranty period



CY-051BF 方型闭门器(B2)
Hexagonal door closer (B2)


适用门宽: 500-800mm
Applicable door width: 500-800mm

适用门重: 25-45kg
Applicable door weight: 25-45kg

加重型: 60kg
Heavyweight: 60kg

安装尺寸: 132x19mm
Installation dimensions: 132x19mm

最大开门角度: 135°分带止动功能90°定位和全自动两种
Max opening angle: 135°/90°Hold-open and Automatic



CY-051CE 圆型闭门器(B2)
Round door closer (B2)


适用门宽: 500-800mm
Applicable door width: 500-800mm

适用门重: 25-45kg
Applicable door weight: 25-45kg

加重型: 60kg
Heavyweight: 60kg

安装尺寸: 132x19mm
Installation dimensions: 132x19mm

最大开门角度: 135°分带止动功能90°定位和全自动两种
Max opening angle: 135°/90°Hold-open and Automatic



CY-051CF 方型闭门器(B2)
Hexagonal door closer (B2)


适用门宽: 500-800mm
Applicable door width: 500-800mm

适用门重: 25-45kg
Applicable door weight: 25-45kg

加重型: 60kg
Heavyweight: 60kg

安装尺寸: 132x19mm
Installation dimensions: 132x19mm

最大开门角度: 135°分带止动功能90°定位和全自动两种
Max opening angle: 135°/90°Hold-open and Automatic



CY-061AE 方型闭门器(B3)
Hexagonal door closer (B3)


适用门宽: 600-900mm
Applicable door width: 600-900mm

适用门重: 45-65kg
Applicable door weight: 45-65kg

加重型: 80kg
Weighted type: 80kg

安装尺寸: 162x19mm
Installation dimensions: 162x19mm

最大开门角度: 150°分带止动功能90°定位和全自动两种
Max opening angle: 150°/90°Hold-open and Automatic



CY-061AE 圆型闭门器(B3)
Round door closer (B3)


适用门宽: 600-900mm
Applicable door width: 600-900mm

适用门重: 45-65kg
Applicable door weight: 45-65kg

加重型: 80kg
Weighted type: 80kg

安装尺寸: 162x19mm
Installation dimensions: 162x19mm

最大开门角度: 150°分带止动功能90°定位和全自动两种
Max opening angle: 150°/90°Hold-open and Automatic



CY-061BF 方型闭门器(B3)
Hexagonal door closer (B3)


适用门宽: 600-900mm
Applicable door width: 600-900mm

适用门重: 45-65kg
Applicable door weight: 45-65kg

加重型: 80kg
Weighted type: 80kg

安装尺寸: 162x19mm
Installation dimensions: 162x19mm

最大开门角度: 150°分带止动功能90°定位和全自动两种
Max opening angle: 150°/90°Hold-open and Automatic





CY-078F 方型闭门器 (B4)
Hexagonal door closer (B4)


适用门宽: 800-1000mm
Applicable door width: 800-1000mm

适用门重: 60-85kg
Applicable door weight: 60-85kg

加重型: 95kg
Heavyweight: 95kg

安装尺寸: 188x19mm
Installation dimensions: 188x19mm

最大开门角度: 160°, 分带止动功能90°定位和全自动两种
Max opening angle: 160°, 90° Hold-open and Automatic



CY-082 方型闭门器 (B6)
Hexagonal door closer (B6)


适用门宽: 1000-1300mm
Applicable door width: 1000-1300mm

适用门重: 90-120kg
Applicable door weight: 90-120kg

加重型: 150kg
Heavyweight: 150kg

安装尺寸: 230x19mm
Installation dimensions: 230x19mm

最大开门角度: 160°, 全自动
Max opening angle: 160°, fully automatic



CY-063 三角型闭门器
Triangle door closer


适用门宽: 600-900mm以内
Applicable door width: Within 600-900mm

适用门重: 40-60kg
Applicable door weight: 40-60kg

加重型: 75kg
Heavyweight: 75kg

安装尺寸: 202x19mm
Installation dimensions: 202x19mm

最大开门角度: 160°, 全自动
Max opening angle: 160°, fully automatic





CY-064F 方型闭门器
Hexagonal door closer

适用门宽: 600-900mm
Applicable door width: 600-900mm

适用门重: 40-65kg
Applicable door weight: 40-65kg

安装尺寸: 191x21mm
Installation dimensions: 191x21mm

最大开门角度: 160°, 全自动
Max opening angle: 160°, fully automatic



CY-080 圆型隐藏闭门器
Concealed overhead door closer


适用门宽: 600-900mm
Applicable door width: 600-900mm

适用门重: 40-65kg
Applicable door weight: 40-65kg

加重型: 75kg
Heavyweight: 75kg

安装尺寸: 262x20mm
Installation dimensions: 262x20mm

最大开门角度: 160°, 内可调节角度定位
Max opening angle: 160°, internal adjustable angle positioning



CY-081 方型隐藏闭门器
Square overhead door closer


适用门宽: 600-900mm
Applicable door width: 600-900mm

适用门重: 40-65kg
Applicable door weight: 40-65kg

加重型: 75kg
Heavyweight: 75kg

安装尺寸: 262x20mm
Installation dimensions: 262x20mm

最大开门角度: 160°, 内可调节角度定位
Max opening angle: 160°, internal adjustable angle positioning






CY-061CF 方形闭门器 (B3)
Hexagonal door closer (B3)

适用门宽: 600-900mm
Applicable door width: 600-900mm

适用门重: 45-65kg
Applicable door weight: 45-65kg

安装尺寸: 162x19mm
Installation dimensions: 162x19mm

最大开门角度: 150°分带止动功能90°定位和全自动两种
Max opening angle: 150° 90° Hold-open and Automatic



CY-061KF 方形闭门器 (B3)
Hexagonal door closer (B3)



适用门宽: 600-900mm
Applicable door width: 600-900mm

适用门重: 45-60kg
Applicable door weight: 45-60kg

加重型: 80kg
Weighted type: 80kg

安装尺寸: 162x19mm
Installation dimensions: 162x19mm

最大开门角度: 150°分带止动功能90°定位和全自动两种
Max opening angle: 150° 90° Hold-open and Automatic



CY-165F 方形闭门器 (B3)
Hexagonal door closer (B3)



适用门宽: 600-900mm
Applicable door width: 600-900mm

适用门重: 40-65kg
Applicable door weight: 40-65kg

加重型: 80kg
Weighted type: 80kg

安装尺寸: 165x19mm
Installation dimensions: 165x19mm

最大开门角度: 150°分带止动功能90°定位和全自动两种
Max opening angle: 150° 90° Hold-open and Automatic



CY-165FBC 方形闭门器 (B3)
Hexagonal door closer (B3)



适用门宽: 600-900mm
Applicable door width: 600-900mm

适用门重: 40-65kg
Applicable door weight: 40-65kg

加重型: 80kg
Heavyweight: 80kg

安装尺寸: 165x19mm
Installation dimensions: 165x19mm

最大开门角度: 150°分带止动功能90°定位和全自动两种
Max opening angle: 180° 90° Hold-open and Automatic



CY-152 方形闭门器 (B3)
Hexagonal door closer (B3)


适用门宽: 600-900mm
Applicable door width: 600-900mm

适用门重: 45-65kg
Applicable door weight: 45-65kg

加重型: 80kg
Weighted type: 80kg

安装尺寸: 152x24mm
Installation dimensions: 152x24mm

最大开门角度: 150°分带止动功能90°定位和全自动两种
Max opening angle: 150° 90° Hold-open and Automatic



CY-068F 方形闭门器 (B3)
Hexagonal door closer (B3)


适用门宽: 600-900mm
Applicable door width: 600-900mm

适用门重: 45-65kg
Applicable door weight: 45-65kg

加重型: 80kg
Weighted type: 80kg

安装尺寸: 162x19mm
Installation dimensions: 162x19mm

最大开门角度: 150°分带止动功能90°定位和全自动两种
Max opening angle: 150° 90° Hold-open and Automatic



主要材质: 铝合金
Material: Aluminum alloy

表面处理: 静电喷涂
Finish: Electrostatic paint

适用范围: 塑钢门、木门、铝门、铁门、防火门
Applicable scope: wooden door, steel door, Aluminum door, steel door, Fire door

可调节闭门段: 闭门段、上锁段
Adjustable closing section: A closed-door segment, locked section

特性: 开合20万次无损
Feature: No damage after opening/closing of 200,000 times

保证期限: 长达2年保证期限
Warranty period: 2 years of warranty period

CY-168F(BC) 方型闭门器(B4) Hexagonal door closer (B4)


适用门宽: 800-1000mm
Applicable door width: 800-1000mm

适用门重: 60-85kg
Applicable door weight: 60-85kg

加重型: 95kg
Heavyweight: 95kg

安装尺寸: 168x19mm
Installation dimensions: 168x19mm

最大开门角度: 160°, 分带止动功能90°定位和全自动两种
Max opening angle: 160°, 90° Hold-open and Automatic



CY-071AF 方型闭门器(B4) Hexagonal back door closer (B4)



适用门宽: 800-1000mm
Applicable door width: 800-1000mm

适用门重: 60-85kg
Applicable door weight: 60-85kg

加重型: 95kg
Heavyweight: 95kg

安装尺寸: 188x19mm
Installation dimensions: 188x19mm

最大开门角度: 160°, 分带止动功能90°定位和全自动两种
Max opening angle: 160°, 90° Hold-open and Automatic



CY-071AE 圆型闭门器(B4) Round door closer (B4)



适用门宽: 800-1000mm
Applicable door width: 800-1000mm

适用门重: 65-85kg
Applicable door weight: 65-85kg

加重型: 95kg
Heavyweight: 95kg

安装尺寸: 188x19mm
Installation dimensions: 188x19mm

最大开门角度: 160°, 分带止动功能90°定位和全自动两种
Max opening angle: 160°, 90° Hold-open and Automatic



CY-071BF 方型闭门器(B4) Hexagonal door closer (B4)


适用门宽: 800-1000mm
Applicable door width: 800-1000mm

适用门重: 60-85kg
Applicable door weight: 60-85kg

加重型: 95kg
Heavyweight: 95kg

安装尺寸: 188x19mm
Installation dimensions: 188x19mm

最大开门角度: 160°, 分带止动功能90°定位和全自动两种
Max opening angle: 160°, 90° Hold-open and Automatic




CY-071CF 方型闭门器(B4) Hexagonal door closer (B4)

适用门宽: 800-1000mm
Applicable door width: 800-1000mm

适用门重: 60-85kg
Applicable door weight: 60-85kg

安装尺寸: 188x19mm
Installation dimensions: 188x19mm

最大开门角度: 160°, 分带止动功能90°定位和全自动两种
Max opening angle: 160°, 90° Hold-open and Automatic



CY-072F 方型闭门器(B4) Hexagonal door closer (B4)


适用门宽: 800-1000mm
Applicable door width: 800-1000mm

适用门重: 60-85kg
Applicable door weight: 60-85kg

加重型: 95kg
Heavyweight: 95kg

安装尺寸: 188x19mm
Installation dimensions: 188x19mm

最大开门角度: 160°, 分带止动功能90°定位和全自动两种
Max opening angle: 160°, 90° Hold-open and Automatic





CY-1601 四方型闭门器
Quadri-lateral door closers



适用门宽: 600-900mm
Applicable door width: 600-900mm

适用门重: 45-65kg
Applicable door weight: 45-65kg

加重型: 75kg
Heavyweight: 75kg

安装尺寸: (52+52)x39mm
Installation dimensions: (52+52)x39mm

最大开门角度: 160° 全自动
Max opening angle: 160°, fully automatic



CY-1601B 四方型闭门器
Quadri-lateral door closers




适用门宽: 600-900mm
Applicable door width: 600-900mm

适用门重: 45-65kg
Applicable door weight: 45-65kg

加重型: 75kg
Heavy-duty: 75kg

安装尺寸: (52+52)x39mm
Installation dimensions: (52+52)x39

最大开门角度: 160°, 内可调节角度定位
Max opening angle: 160°, internal adjustable angle positioning





CY-201 闭门器玻璃夹
door closer glass clip

小号闭门器: A132mm B: 19mm
Small door closer: A132mm B: 19mm

中号闭门器: A162mm B: 19mm
Medium door closer: A162mm B: 19mm

大号闭门器: A188mm B: 19mm
Large door closer: A188mm B: 19mm

四方型闭门器: 安装孔距104mmx39mm
Square door closer: installation hole distance 104mmx39mm



可定制其他尺寸
Other sizes can be customized