






**FOSHAN HUAJINGDA
METAL PRODUCTS CO., LTD**
FOSHAN CHNGOO CO., LTD





Welcome to our company


Foshan Huajingda Metal Products Co., Ltd. and Foshan Chngoo Co., Ltd., headquartered in Foshan City, have four production bases, located in Foshan and Guangzhou, with a total area of more than 100,000 square meters. We mainly produce and sell silicone sealant, paint, smart lock, door and window hardware, glass hardware, doors and windows and related ancillary products to meet different needs of customers.

Started in 1990, with 32 years of production experience and 22 years of export experience, we have served customers in more than 60 countries. In order to meet the needs of customers in various countries, we helped customers solve difficulties and problems, participated in more than 25 foreign exhibitions. Support customers in different countries to become the leading brand in the industry.

佛山华景达金属有限公司和佛山华高国际贸易有限公司的总部位于佛山市，旗下有四大生产基地，分别位于佛山市和广州市，总面积超过 10 万平方米，主要生产和销售玻璃胶，油漆，智能锁，门窗五金，玻璃五金，门窗等配套产品，以满足客户不同的需求。

公司始于 1990 年，32 年的生产经验和 22 年的出口经验，服务超过 60 多个国家的客户，为了满足各国客户的需求，我们帮助客户解决困难和问题，并参加国外展会超过 25 次，多次支持不同国家的客户成为行业的领导品牌。





我们的使命

让中国好产品享誉全球，让客户，员工，
股东拥有丰盛人生。

MISSION

To make China's good products famous all over the world, and to let
customers, employees and shareholders have a prosperous life.

我们的愿景

成为世界一流的品牌。

VISION

To be a world-class brand.

我们的价值观

自强，诚信，阳光，感恩，共赢，传承！

VALUE

Self-improvement, integrity, positive, gratitude, win-win, inherit!


做事的标准

创新，高效，团队，分享，成长

WORKING STANDARD

Innovation, efficiency, teamwork, sharing, growth.

Our four advantages



EXPERIENCE & TEAM

Experience & team: 32 years of production experience and 22 years of export experience, with R&D team, production team, domestic and foreign sales team more than 200 people, more than 80% of the staff have more than 5 years of experience in the company.

AWARDS & HONORS

Obtained multiple invention patents, top ten brands in the industry, national three-certified enterprise, high-tech enterprise, international SGS, CE, TUV, ISO, INTERTEK, etc.




EQUIPMENT & SUPPLY CHAIN

The most advanced automated production line in the world, with stable upstream and downstream supply chain support, zero complaints on product quality for three consecutive years, and laboratory sampling inspections of more than 5000kg per month to ensure that each product meets market demand.



SCALE & STRENGTH

Scale & strength: we have four major production bases, including two national-level chemical bases and hardware, door and window bases, with a total area of more than 100,000 square meters, and a production capacity of more than 1,500 containers for four consecutive years.





To be the most trusted partner of our customers





OUR FOUNDER

Steven Ko 高雲汝

Founder & General Manager
創始人兼總經理

ificate (Master of Business Administration)

l in international trade for 15 years, traveled to 50+ countries around the world;

business relationship with 60+ countries' clients

ident of Foshan Foreign Trade Association

ident of Youth Chamber of Commerce in Danzao, Nanhai District

of Aluminum Door and Window Decoration Association in Nanhai District





OUR WORK

01 Silicone sealant / 107 / Silicone oil
玻璃胶、107、硅油 P11-21

02 Paint and coating
油漆涂料 P22-25

03 Smart lock
智能门锁 P26-30

04 Doors and Windows hardware, weather strip, rubber
门窗五金、毛条、胶条 P31-46

05 Glass hardware
玻璃五金 P47-48


06 Doors and windows
门窗 P49-54



03



02



04




05



06







SILICONE SEALANT 107 SILICONE OIL

玻璃胶、107、硅油

SILICONE SEALANT \ 107 \ SILICONE OIL
玻璃胶、107、硅油



GP-130

Acetic Fast Dry Silicone Sealant
酸性快干胶




General purpose for doors&windows / Glass counter
门窗专用 / 玻璃柜台



GP-121

Acetic High Performance Aquarium Silicone Sealant
高性能酸性鱼缸胶



Fish tank / Aquarium / Large panel glass / Aluminum bathroom
鱼缸 / 水族馆 / 大板玻璃 / 铝制淋浴房



OS-796

Neutral GP Weatherproof Silicone Sealant
中性通用型耐候胶



Windows&Doors / Metal / Interior decoration / ACP

室内外门窗 / 金属 / 室内装修 / 铝塑板



SJ-168

Neutral High Performance Weatherproof
Curtain Wall Silicone Sealant
高性能中性耐候幕墙胶



Stainless steel / Glass & Stone curtain wall / Large villas decoration / Sunlight
& interior decoration

不锈钢 / 玻璃 & 石材幕墙 / 大型别墅装修 / 阳光房 / 室内外装修

SILICONE SEALANT \ 107 \ SILICONE OIL
玻璃胶、107、硅油



SJ-268

Neutral Superior Structural Silicone Sealant
超高性能中性结构胶



Construction Engineering / Stone / Curtain wall
建筑工程 / 石材 / 幕墙等



AL-107

Paintable Acrylic Sealant
可涂漆丙烯酸密封胶



Sealing and caulking of door and window frames / Indoor skirting / Caulking of furniture
内外墙门窗框密封填缝 / 室内踢脚线 / 家具的填缝收边



CHG-201

Polyurethane Windshield Sealant
聚氨酯汽车密封胶



Windshield / Component junction for sealing / paint coating
挡风玻璃 / 构建结合部位 / 喷漆涂层



CHG-210

Polyurethane Construction Sealant
聚氨酯建筑密封胶



Cement walls or stone for bonding and sealing
用于粘接和密封水泥墙或石材



CHG-701

Heavy Duty Nails Free Sealant
免钉胶



Stone / stainless steel / wood plastic board / most of home decoration materials

石头 / 不锈钢 / 木塑板 / 绝大多数家装材料




CHG-83

Anti-Mildew silicone sealant
防霉胶



Bathroom / kitchen utensils / wash basin / indoor & outdoor / installation

浴室 / 厨房用具 / 洗手台 / 室内外安装



FP-996

Fire Resistance Silicone Adhesives
防火胶




Security door / fire windows&doors / open fire fireplace / gas stove / range hood, etc
安全门 / 防火门窗 / 明火壁炉 / 燃气灶 / 油烟机等



CHG-A10

Neutral Mirror Silicone Sealant
醇型镜子胶



Dressing table mirror / dance studio mirror / coated glass etc
梳妆台 / 洗手台 / 舞蹈室 / 所有镜子都可



Wooden doors installation / pipe installation / roof corner / gap filling
木门安装 / 管道安装 / 屋顶墙角 / 填补缺漏

CHO-A3

PU Foam
发泡剂



Tile gaps / swimming pool / open-air balcony / bathroom
瓷砖缝隙 / 游泳池 / 露天阳台 / 洗澡房


CHG-700

High Performance Porcelain Glue (A B Glue)
真瓷胶



CHG-702

Hi-Temp RTV Gasket Maker
免垫片硅橡胶（牙膏状）



Engine / electronic components / gas stove / most of auto repair parts
发动机 / 电子元器件 / 燃气灶 / 大多数汽车硬件



CHG-203

High-duty universal ms polymer sealant
高性能 / 全能改性硅烷密封胶



Prefabricated building / External wall expansion joints / Concrete
装配式建筑 / 外墙伸缩缝 / 混凝土



107 Silicone Rubber1~8w 107 硅橡胶 1-8W

Appearance :Colorless and Transparent Flow Liquid

Viscosity CS(25°C) :10000-80000CS

Surface curing time (h) ≤ 2

Volatile(150°C ,3h) ≤ 2

Molecular formula :HO-Si(CH₃)₂ O[Si(CH₃)₂O]_nSi(CH₃)₂-OH

Expiration date :3 years

Product application :Mechanical Lubricant/Eletrical Industry/
Construction Industry/Automobile Industry/Paint Industry/
Leather Industry/TextileIndustry/Chemical Industry/Cosmetic
Industry

产品名称: 107 硅橡胶

外观: 无色透明流动液体

粘度 CS(25°C) :10000-80000CS

表面固化时间 (h) ≤ 2

挥发性 (150°C ,3h) ≤ 2

分子式: HO-Si(CH₃)₂ O[Si(CH₃)₂O]_nSi(CH₃)₂-OH

有效期: 3 年

产品应用: 机械润滑油 / 电气行业 / 建筑行业 / 汽车行业油漆行业
/ 皮革行业 / 纺织行业 / 化工行业 / 化妆品行业



Dimethyl silicone oil 二甲基硅油

Appearance :Colorless and Transparent Flow Liquid

Density :0.91-0.93

Viscosity mm²/s :1000-1600

Volatile (105°C /3h) ≤ 2%

Product application :Mechanical Lubricant/Eletrical
Industry/Construction Industry/Automobile Industry/
Paint Industry/Leather Industry/Textile
Industry/Chemical Industry/Cosmetic Industry

产品名称: 二甲基硅油

外观: 无色透明流动液体

密度: 0.91-0.93

粘度 mm²/s :1000-1600

挥发物 (105°C /3h) ≤ 2%

产品应用: 机械润滑油 / 电气行业 / 建筑行业 / 汽车行业
油漆行业 / 皮革行业 / 纺织工业 / 化学工业 / 化妆品工业

PAINT AND COATING

涂料油漆





INTERIOR LATEX PAINT 内墙乳胶漆

Application / 应用环境

Office / home / school / hospital / factory
办公室, 家庭, 学校, 医院, 厂房



Feature / 产品卖点与特性

High coverage, Easy construction, Antibacterial, Mildew proof, Colorful
高遮盖, 易施工, 抗菌, 防霉, 色彩绚丽



EXTERIOR LATEX PAINT 外墙乳胶漆

Application / 应用环境

Office / Home / School / Hospital / Factory
办公室, 家庭, 学校, 医院, 厂房



Feature / 产品卖点与特性

Anti-ultraviolet, Excellent weather resistance, Colorful, Efficient anti-mildew
抗紫外线、耐候性优异、色彩绚丽、高效防霉



WATERPROOF COATING 防水涂料



Application / 应用环境

Bathroom / Kitchen / Roof floor / Swimming pool
卫生间、厨房、楼面天台、游泳池

Feature / 产品卖点与特性

Water-based environmental protection, Excellent paint film, Good waterproof, Durable
水性环保, 漆膜优异、防水性佳, 持久耐用



RUBBER WATERPROOF 橡胶防水




Application / 应用环境

Bathroom / Kitchen / Floor roof / Swimming pool
卫生间、厨房、楼面天台、游泳池

Feature / 产品卖点与特性

Water-based environmental protection, Excellent paint film, Good waterproof, Durable
水性环保, 漆膜优异、防水性佳, 持久耐用



WATER-BASED FLOOR PAINT 水性地坪漆



Application / 应用环境

Office / Car park / Park / Factory
办公室、停车场、公园、厂房

Feature / 产品卖点与特性

Compression and wear resistance, impact resistance, easy construction, acid and alkali resistance
抗压耐磨，抗冲击，容易施工，耐酸耐碱



MULTIFUNCTIONAL WATER-BASED METALLIC PAINT 多功能水性金属漆



Application / 应用环境

Steel structure / ship deck / iron fence
钢结构、船舶甲板、铁围栏

Feature / 产品卖点与特性

Rich in color, Excellent rust resistance, Easy construction
色彩丰富，防锈能力优异，易施工

SMART LOCK

智能门锁



T12 / T13

Fully automatic smart lock
全自动智能锁

Application / 应用环境

Apartment / Home / Hotel / School / Office
公寓 / 家 / 酒店 / 学校 / 办公室

Color / 颜色

Mocha Gold / Millet Grey
摩卡金 / 小米灰

Door Type / 门的类型

Wooden door / Composite door / Metal door / Stainless Steel door / Aluminum door
木门 / 复合门 / 金属门 / 不锈钢门 / 铝门

Applicable door size / 适用门尺寸

Door panel thickness 45-120mm / Doorframe width $\geq$ 100mm
门面板厚度 45-120mm / 门框宽度 $\geq$ 100mm

Important configuration / 重要配置

高端电机和主板，经久耐用；
采用瑞典进口 FPC 半导体和人脸识别模块，超低容错；
C 级锁芯不易卡死，强度高；
144°广角微光 IPS 屏；
高清像素画质摄像头

High-end motor and mainboard, durable and not easy to damage;
Swedish FPC semiconductor and face recognition module, ultra-low fault tolerance;
Grade C lock cylinder, not easy to get stuck and high strength;
144° Wide-angle low-light IPS screen;
High-definition quality camera

Function / 功能


3D 人脸识别 / 指纹 / 密码 / 磁卡 / 机械钥匙
TUYA APP 远程开锁
主动监控
逗留抓拍
防猫眼功能
虚位密码防偷窥
防撬报警
USB 应急充电
主动可视对讲 (T13)

3D face recognition / Fingerprint / Password / IC card / Mechanical key
TUYA APP remote unlock
Active monitoring
Stay and capture
Anti-cat eye function
Virtual password to prevent peeping
Anti-piracy alarm
USB emergency charging
Active visual intercom (T13)



T12

T13



T9-3

Semi-automatic smart lock 半自动智能锁

Application / 应用环境

Apartment / Home / Hotel / School / Office
公寓 / 家 / 酒店 / 学校 / 办公室

Color / 颜色

Bright black / Red bronze
亮黑 / 红古铜

Door Type / 门的类型

Wooden door / Composite door / Metal door / Stainless Steel door / Aluminum door
木门 / 复合门 / 金属门 / 不锈钢门 / 铝门

Applicable door size / 适用门尺寸

Door panel thickness 45-120mm / Doorframe width $\geq$ 100mm
门面板厚度 45-120mm / 门框宽度 $\geq$ 100mm

Important configuration / 重要配置

高端电机和主板，经久耐用；
采用瑞典进口 FPC 半导体和人脸识别模块，超低容错；
C 级锁芯不易卡死，强度高；

High-end motor and mainboard, durable and not easy to damage;
Swedish FPC semiconductor and face recognition module and ultra-low fault tolerance;
Grade C lock cylinder, not easy to get stuck and high strength;

Function / 功能

指纹 / 密码 / 磁卡 / 机械钥匙 / TUYA APP 远程开锁
防猫眼功能
虚位密码防偷窥
防撬报警
USB 应急充电

Fingerprint / Password / IC card / Mechanical key / TUYA APP remote unlock
Anti-cat eye function
Virtual password to prevent peeping
Anti-piracy alarm
USB emergency charging



T9-5

Semi-automatic smart lock 半自动智能锁

Application / 应用环境

Apartment / Home / Hotel / School / Office
公寓 / 家 / 酒店 / 学校 / 办公室

Color / 颜色

Bright black / Red bronze
亮黑 / 红古铜

Door Type / 门的类型

Wooden door / Composite door / Metal door / Stainless Steel door / Aluminum door
木门 / 复合门 / 金属门 / 不锈钢门 / 铝门

Applicable door size / 适用门尺寸

Door panel thickness 45-120mm / Doorframe width $\geq$ 100mm
门面板厚度 45-120mm / 门框宽度 $\geq$ 100mm

Important configuration / 重要配置

高端电机和主板，经久耐用；
采用瑞典进口 FPC 半导体和人脸识别模块，超低容错；
C 级锁芯不易卡死，强度高；

High-end motor and mainboard, durable and not easy to damage;
Swedish FPC semiconductor and face recognition module and ultra-low fault tolerance;
Grade C lock cylinder, not easy to get stuck and high strength;

Function / 功能

指纹 / 密码 / 磁卡 / 机械钥匙 / 微信小程序远程开锁
防猫眼功能
虚位密码防偷窥
防撬报警
USB 应急充电

Fingerprint / Password / IC card / Mechanical key / Mini wechat program remote unlock
Anti-cat eye function
Virtual password to prevent peeping
Anti-piracy alarm
USB emergency charging





T9-5G

Semi-automatic smart lock 半自动智能锁

Application / 应用环境

Apartment / Home / Hotel / School / Office
公寓 / 家 / 酒店 / 学校 / 办公室

Color / 颜色

Bright black / Red bronze
Champagne Gold
亮黑 / 红古铜 / 香槟金

Door Type / 门的类型

Wooden door / Composite door / Metal door / Stainless Steel door / Aluminum door
木门 / 复合门 / 金属门 / 不锈钢门 / 铝门

Applicable door size / 适用门尺寸

Door panel thickness 45-120mm / Doorframe width ≥ 100 mm
门面板厚度 45-120mm / 门框宽度 ≥ 100 mm

Important configuration / 重要配置


高端电机和主板，经久耐用；
采用瑞典进口 FPC 半导体和人脸识别模块，超低容错；
C 级锁芯不易卡死，强度高；

High-end motor and mainboard, durable and not easy to damage;
Swedish FPC semiconductor and face recognition module and ultra-low fault tolerance;
Grade C lock cylinder, not easy to get stuck and high strength;

Function / 功能

指纹 / 密码 / 磁卡 / 机械钥匙 / TUYA APP 远程开锁
防猫眼功能
虚位密码防偷窥
防撬报警
USB 应急充电

Fingerprint / Password / IC card / Mechanical key / TUYA APP remote unlock
Anti-cat eye function
Virtual password to prevent peeping
Anti-piracy alarm
USB emergency charging



DOORS AND WINDOWS HARDWARE / WEATHER STRIP RUBBER

门窗五金、毛条、胶条







A012




A017




A017A



A022



A025



A025A



A041



A045



A047A




A057



A059



A063




A064



A069



A070



A074



A077



A084



A085




A091




A101




A108




B001




B006



B007




B012A




B022




B032




B035



B042




B043




B047




B050



B084



B092



B096

C065




C066




C067



C016




C028



C036



C003



C006




C008





C070




C076



C083



C085



C090



C092



C093



C094



C095



C099



C102



C107



C120



C130



C131



C150



C156



C150




C162




C165



C168




60KG FOLDING DOOR
ACCESSORIES



100KG FOLDING DOOR
ACCESSORIES



D002



D006A




D012



D025



D036



D037



D038




D039




D043





D044




D045




D045A




D046




D070




D073



D074



D075



D076



D080



Wall paint wool brush
墙面漆羊毛刷



Floor paint
Metal paint brush
地坪漆 / 金属漆刷



Wall paint roller
墙漆滚筒




Floor paint roller
地坪漆滚筒




Color separation
masking film
分色遮蔽膜




Roller extension
滚筒加长杆




E002



E007



E012



E020



E021



E022




E022A




E026



E029



E031



E042




E052



E061



Rubber 胶条



Weather strip 毛条



Weather strip 毛条



Weather strip 毛条




Weather strip 毛条



F003



F008




F009



F020



F021



F028



F030



F035



F036




F040



F041




F050



HD130




HD131




P120




P130




P180



CHG-521



CHG-542




PU FOAM GUN

GLASS HARDWARE

玻璃五金






HJD-73




H001




G010A



G011A



G012




HJD-718




C185



C186



C708



C709

DOORS AND WINDOWS

门窗





Doors and windows

门窗

110

Window / 推拉窗

Man BOGO automatic
keys.

Low rail with waterproof

Anti-collision strip
and it is more secure and





HJD-PC78 Casement window / 平开窗

1. Profile frame thickness is 1.6mm, with a whole flat frame design.
2. Perfect hidden drainage system. Triple sealed drainage duckbill rubber strip. isobaric rain curtain principle.
3. Integral conversion frame, the outer frame and the outer surface of the conversion frame are connected to Haida automotive grade EPDM rubber strips to prevent rainwater leakage in the gap.
4. With inner open glass sash and outer open glass sash, while can choose double-in-inner open glass sash and the flyscreen. It can make sure that there is no risk of falling of the windows in high-rise building.
5. With top quality hardware, HOPO hardware with inward tilt & turn inversion system, with which can bear up to 80KG, German OAOSM outward opening system, with which can bear up to 80KG, Stanford hinge and mid pillar reinforcement injection glue in order to ensure the strength of the whole frame structure.
6. Frame corner using two-group nail glue injection technology to ensure the stability of the structure.
7. Using a 24mm large insulation strip. The profile is filled with heat insulation/soundproofing materials. $K \text{ value} \leq 2.2W/m^2K$.

168

or / 折叠门

multiple fold and have
n space.


tional screen and easy

pping hand design and
secure.

rior heat insulation,
ulation performance
f structural technology.

high, can do 3 sashes, 4
d other options.






001
Wood interior door



003
Wood interior door



005
Wood i



006
Wood interior door



010
Wood interior door




012
Wood in



013
Wood interior door



015
Wood interior door



018
Wood in

R HIBITION






20 years enterprise integrity certificate
诚信二十载



High-tech Enterprise Certificate
高新技术企业证书




Consumers are recognized as assured
and satisfied with the brand
全国消费者公认放心满意品牌



Recommended product
construction
工程建设推荐

OUR HONOR & CETIFICATES



Societe Generale de Surveillance S.A
SGS 通用公证行



German Trademark Register
德国商标注册




Verified supplier certificant by Intertek
Intertek 认证的供应商证书



ISO9001: 2008
ISO 证书



Verified supplier certificant by TUV
TUV 认证的供应商证书



Certificate of Conformity
COC 产品符合性

OUR CUSTOMERS

Customers are mainly distributed in more than 60 countries in Europe, America, Southeast Asia, the East, Africa, etc., with a service team of 32 years of R&D, production and sales, provide the most professional services and the best solutions for new and old customers around the world.



UNITED STATES



ARGENTINA



UNITED
KINGDOM



SAUDI ARABIA



CAMEROON



INDIA



ZIMBABWE



CAMBODIA

OUR DEVELOPMENT HISTORY

Our products were
exported to more than 10
countries, serving the top
10 customers in Africa and
the Middle East.

The second factory was
built, with an area of 6,000
square meters, and started
to export.

Established in 1990, with
an area of 2,000 square
meters and the main
market is China.

1998

Set up the foreign
sales department and
introduced domestic
advanced production
equipment.

2008

1990

2000



The third factory was established, with an area of more than 12,000 square meters and over 100 employees, and began to participate in foreign exhibitions.

2015

Establish Foshan Chngoo Co., Ltd and merged two factories to professionally serve various procurement needs of foreign customers.

Introduced ISO quality management system and established R&D department.

2013

2019

Won the title of high-tech enterprise providing custom one-stop procurement services. And our build a 100+ person team.

202



FOSHAN HEADQUARTERS

Room 0708 7F, Building T1, Smart City, No.26 Jihua One Road, Chancheng District,
Foshan, Guangdong, China-528000.

Factory 1:

No.17-25, Bian Yao Gu Farm, Shibi Third Village, Shibi Street, Panyu District, Guangzhou, China

Factory 2:

Nansha Industrial zone, Jinsha Danzao, Nanhai, Foshan, China

Tel: +86 757 85445438

Email: info@chngoo.com / hardware@hjdco.com

Website: www.chngoo.com / www.hjd-hardware.com

Facebook : chngoo silicone sealant



CHNGOO



Wechat



Whatsapp