



专业隔热条制造商
Professional insulation strip manufacturer



江苏贝塔隔热材料有限公司
JIANGSU BEITA INSULATION MATERIALS CO., LTD

诚信
天下



企业简介 Company profile

“千古龙飞驰，帝王将相乡”是对江苏沛县的赞誉，江苏贝塔隔热材料有限公司坐落于美丽富饶的鱼米之乡 -- 沛县，公司厂房面积 2 万平方米，拥有先进的尼龙隔热条自动生产线 80 条，年产高质量尼龙隔热条可达 2 万余吨。是一家集技术研发、生产和销售为一体的现代化企业。

贝塔公司主要生产建筑铝合金型材用的尼龙隔热条产品，产品用于高性能断桥铝合金门窗、幕墙。公司与国内外多家知名建筑铝型材企业、门窗、幕墙企业合作。

贝塔公司拥有专业化管理、技术团队，及标准化实验室。质量控制流程严格，是公司做优，做强，为客户提供稳定产品的有力保障。一直以来，贝塔公司以“优质服务、质量第一”为经营理念，以“诚信、创新、专业、共赢”的企业精神，传递“诚实守信、追求卓越、和谐发展、合作共赢”的核心价值观；凭借着“优质的产品、合理的价格、准时的交期、良好的信誉”为基本准则，以“研制最好产品、创建优秀品牌”为目标。

依托沛县地理位置、能源优势和自身技术特点，以精益求精的技术创造力，不断提高产品研发能力，满足广大用户更多高标准的生产需求。致力于将贝塔公司打造成为具有国际竞争力、国内领先的高标准尼龙隔热条生产基地！

我们期待成为您最忠实的朋友和合作伙伴，愿意成为您在尼龙隔热条产品需求方面的首选品牌，为您的门窗、铝型材事业提供更多的助力，一起共创互惠、双赢的未来！

欢迎各届人士前来公司参观考察，让我们携手共创节能、环保、优质、舒适的生活！

The eternal dragon gallops, the hometown of emperors and generals "is a praise for Peixian County, Jiangsu. Jiangsu Beta Insulation Materials Co., Ltd. is located in the beautiful and rich land of fish and rice - Peixian County. The company has a factory area of 20000 square meters, and has 80 advanced automatic production lines for nylon insulation strips. The annual production of high-quality nylon insulation strips can reach over 20000 tons. It is a modern enterprise that integrates technology research and development, production, and sales.

Beta Company mainly produces nylon insulation strips for building aluminum alloy profiles, which are used for high-performance bridge cutoff aluminum alloy doors, windows, and curtain walls. The company has cooperated with multiple well-known architectural aluminum profile enterprises, door and window, curtain wall enterprises both domestically and internationally.

Beta Company has a professional management, technical team, and standardized laboratory. The strict quality control process is a powerful guarantee for the company to excel, strengthen, and provide stable products to customers. Beta Company has always adhered to the business philosophy of "high-quality service, quality first" and the corporate spirit of "integrity, innovation, professionalism, and win-win", conveying the core values of "honesty and trustworthiness, pursuit of excellence, harmonious development, and win-win cooperation"; With the basic principles of "high-quality products, reasonable prices, timely delivery, and good reputation", we aim to "develop the best products and create excellent brands".

Relying on the geographical location, energy advantages, and technological characteristics of Peixian County, with continuous improvement in technological creativity, we continuously improve our product research and development capabilities to meet the higher standard production needs of our users. Committed to building Beta Company into an internationally competitive and leading production base for high standard nylon insulation strips in China!

We look forward to becoming your most loyal friend and partner, willing to become your preferred brand in terms of nylon insulation strip product demand, providing more assistance for your door and window, aluminum profile business, and creating a mutually beneficial and win-win future together!

Welcome people from all walks of life to visit and inspect the company. Let's work together to create an energy-saving, environmentally friendly, high-quality, and comfortable life!

新手如何识别隔热条的优劣

How to identify the advantages and disadvantages of insulation strips for beginners

尼龙隔热条是一种常用于建筑、工业和家居装修中的隔热材料，隔热条的好坏对于提高建筑物的安全性能、保温性能、节能降耗、隔音隔热都起到至关重要的作用。对于新手来说，如何识别尼龙隔热条的优劣呢？

首先，可以通过外观来初步判断尼龙隔热条的质量。好的尼龙隔热条通常具有光滑均匀的外表，没有明显的瑕疵或破损。隔热条一般是黑色的（现在也有彩色的），其表面效果是黑亮的。而劣质的尼龙隔热条可能存在表面不平整、气泡、色差、划痕、裂纹或其它明显的缺陷。

其次，可以通过触感来判断尼龙隔热条的质量。好的尼龙隔热条通常触感柔软且弹性好，手感舒适。而劣质的尼龙隔热条可能触感硬、粗糙或过于柔软，没有足够的弹性。因此，我们应该选择触感舒适且弹性适中的尼龙隔热条更有韧性。

此外，还可以通过嗅觉来识别尼龙隔热条的质量。好的尼龙隔热条通常没有明显的异味，而劣质的尼龙隔热条可能存在刺鼻的化学味道或其它不正常的气味，更差的甚至会出现臭味，俗称“臭条”，毫无疑问就是劣质的隔热条。

最后，可以通过对折压力测试来进一步判断尼龙隔热条的质量。好的尼龙隔热条通常具有良好的弹性性能，可以在受到压力后迅速恢复原状，或者产生强大的抗力。而劣质的尼龙隔热条可能存在压缩性能差、易被压碎的问题。

除了上述的通过观察外观、触感、嗅觉和进行对折压力测试来判断其质量，更为科学的办法是查看产品的检测报告，由国家权威机构对其进行检测判定是否达标，现在，大家都学会鉴别了吗？

Nylon insulation strip is a commonly used insulation material in construction, industry, and home decoration. The quality of the insulation strip plays a crucial role in improving the safety performance, insulation performance, energy conservation, and sound insulation of buildings. For beginners, how to identify the advantages and disadvantages of nylon insulation strips?

Firstly, the quality of nylon insulation strips can be preliminarily judged by their appearance. Good nylon insulation strips usually have a smooth and uniform appearance, without obvious defects or damage. The insulation strip is generally black (now also available in color), and its surface effect is black and shiny. Poor quality nylon insulation strips may have uneven surfaces, bubbles, color differences, scratches, cracks, or other obvious defects.

Secondly, the quality of nylon insulation strips can be judged by their touch. Good nylon insulation strips usually have a soft and elastic feel, and a comfortable touch. Poor quality nylon insulation strips may feel hard, rough, or too soft to the touch, without sufficient elasticity. Therefore, we should choose nylon insulation strips that have a comfortable touch and moderate elasticity, which are more resilient.

In addition, the quality of nylon insulation strips can also be identified through smell. Good nylon insulation strips usually do not have obvious odors, while inferior nylon insulation strips may have pungent chemical or other abnormal odors, and even worse, may have a foul odor, commonly known as "stink strips", which is undoubtedly inferior insulation strips.

Finally, the quality of nylon insulation strips can be further judged through the folding pressure test. Good nylon insulation strips usually have good compression properties, which can quickly recover after being pressed, or produce strong resistance. The inferior nylon insulation strip may have poor compression performance and be easily broken.

In addition to observing the appearance, touch, smell, and conducting folding pressure tests mentioned above to determine its quality, a more scientific method is to check its product testing report, which will be tested by national authoritative institutions to determine whether it meets the standards. Now, have everyone learned to distinguish?

企业文化 Corporate culture

企业使命：ENTERPRISE MISSION

研制最好产品、创建优秀品牌

Develop the best products, excellent brand

企业愿景：ENTERPRISE VISION

成为具有国际高标准精密塑料挤出生产基地

To be a international high standard precision plastic extrusion production base

企业理念：ENTERPRISE PHILOSOPHY

优质服务、质量第一

High-quality service, quality comes first

企业精神：SPIRIT

自信、诚信、用心、创新

Self-confidence, sincerity, concentrtrion, innovation

核心价值：VALUE

诚实守信、追求卓越、和谐发展、合作共赢

integrity, Pursuit of Excellence, Harmony development
win-win cooperation



园区外景航拍图


Aerial view of the park



贝塔厂区外景

Beita material
factory site





自动化生产线
Automatic production line



标准化生产工艺
Standardized production




江苏贝塔企业以国内知名尼龙原料生产企业原料资源优势，以高新技术、项目合作、技术开发等强强联合；以精益求精的技术创造力，不断提高产品开发能力和市场需求，不断满足用户现实和隐含需求，努力创造新的经济增长点，使企业保持不竭的发展动力。

Jiangsu Beita Materials takes advantage of China Pingmei Shenma Group's high-quality nylon raw material resources, and combines with strong partners in high-tech, project cooperation, and technological development; By continuously improving product development capabilities and market demands with continuous technological creativity, we strive to meet the real and implicit needs of users, create new economic growth points, and maintain an inexhaustible driving force for enterprise development.




江苏贝塔产品优势 Jiangsu beita material Product advantage



最优质的环保PA66原料，无毒、无臭、抗霉、抗腐蚀可回收利用

The highest quality environmentally friendly PA66 raw material, non-toxic, odorless, mold resistant, corrosion-resistant, and recyclable



80条自动生产线，年生产高品质隔热条20000余吨

automatic production lines, annual production of high-quality insulation strips 10000 yutons



现代化质量管理体系
Modern quality management system

BEITA



认证质量 Authentication quality

质量是企业的生命

Quality is the life of an enterprise

质量意识是企业生命的灵魂

Quality consciousness is the soul of enterprise life



“靠质量树信誉，靠信誉拓市场，靠市场增效益，靠效益求发展”，质量对于江苏贝塔来说是企业发展的生命链，对于我们江苏贝塔每位成员来说，把质量视同为我们的生命，把质量管理作为江苏贝塔管理的重中之重，已被行业内的众多客户所认同。

“内抓现场质量领先，外抓市场名优取胜”，走质量效益型道路的江苏贝塔在行业内已经获得广泛好评。

"Build reputation by quality, expand the market by reputation, increase benefit by market and seek development by benefit". Quality is the life chain of enterprise development for Beita insulation. For each member of Beita insulation, we regard quality as our life and regard quality management as the top priority of Beita insulation management, which has been recognized by many customers in the industry.

"Focus on the leading quality on the site, focus on the famous and high-quality products in the market to win". Beita insulation, which takes the road of quality and efficiency, has been widely praised in the industry.

隔热条的作用以及它的特点

The function of heat insulation strip and its characteristics

◆ 穿在铝型材内外两侧之间，以减少热传导，降低导热系数：

Between the inside and outside sides of the aluminum profile to reduce heat conduction and reduce the coefficient of thermal conductivity:

◆ 提高舒适度 Improve comfort

人体与环境交换热量，取决于室内外空气的温度和流动的速度。正因为如此，通过隔热型材，调节门窗表面的温度，以达到人体最舒适的温度。

The exchange of heat between the human body and the environment depends on the temperature and flow rate of air inside and outside the room. Because of this, through the heat insulation profile, adjust the temperature of the door and window surface, in order to achieve the most comfortable temperature of the human body.

◆ 保护环境 Protect the environment

通过隔热系统的运用，能减少能量的消耗，减少空调的使用，使其更加节能，并且减少环境的污染。

Through the use of heat insulation system, can reduce energy consumption, reduce the use of air conditioning, make it more energy saving, and reduce environmental pollution.

◆ 防止结霜 Prevent frosting

合适的系统设计，会使隔热型材的内表面温度与室内温度接近，从而大大降低了室内过饱和的水蒸气在型材内表面的可能性。

Proper system design will make the inner surface temperature of thermal insulation profile close to the indoor temperature, thus greatly reducing the possibility of indoor supersaturated moisture condensation on the inner surface of profile.

◆ 节能 energy conservation

在冬天减少热量向室外流失，降低采暖能耗；

In winter, reduce heat loss to the outside, reduce heating energy consumption;

在夏天减少热量向室内传递，降低制冷能耗；

Reduce the heat transfer to the room in summer, reduce the energy consumption of refrigeration;

◆ 隔音 sound insulation

适当的降低噪音无污染。 Reduce the noise properly without pollution.


◆ 保温原理 Principle of heat preservation

隔热穿条铝型材是由铝合金型材和热塑性混合材料隔热条组合而成。通过滚压工艺把高密度聚酰胺 PA66 隔热条；铝型材链成一体，阻隔隔热铝合金型材的“冷桥”，达到保温、节能的功效。

Heat insulation strip aluminum profile is composed of aluminum alloy profile and heat insulation strip of thermoplastic mixed material. High density polyamide PA66 heat insulation strip by rolling process; Aluminum profile chain into one, insulation aluminum alloy profile "cold bridge", to achieve heat preservation, energy saving effect.

隔热条的宽度与K值关系

The relationship between the width of insulation strip and K value



产品包装 Product packaging



直条包装 Straight strip packaging

标准产品每支长度为 6M，每捆包装 50 支 -100 支，盈科新材专用环保包装袋密封，附产品标签和检测报告单。

The length of each standard product is 6m, and each bundle is packed with 50 and 100 pieces, Jiangsu beita Special environmental protection packaging bag is sealed, Attach product label and test report.



卷封包装 Wrap up packaging

标准产品每卷 300-500M，江苏贝塔专用环保包装袋密封，附产品标签和检测报告单。

Standard products 300-500m per roll, Jiangsu beita Special environmental protection packaging bag is sealed, Attach product label and test report.


















激光喷码 Laser coding



























完美的数字化激光喷码系统，精确管理、跟踪产品每一道工序，精益求精。

Perfect digital laser code spraying system, accurate management, tracking every process of products, and strive for perfection.















产品规格 Standard Profiles

10MM	12MM	14.8MM	16MM	17MM	18MM
					
I10	I12	I14.8	I16	I17	I18
					
C10	C12	C14.8		C17	C18
					
	C14	C14.8(D)			
					
		K14.8			
					
		T14.8*12.35			
					
		T14.8*14.8			
					
		CF14.8			















产品规格 Standard Profiles

18.6MM	20MM	21MM	22MM	24MM	25MM
 I18.6	 I20	 I21	 I22	 I24	 I25
 C18.6	 C20	 C21	 C22	 C24	 C25
	 T20			 T24P	 CT25P
	 T20P			 T24	 CI25
	 T20H			 CF24	 TJ25
	 CO20			 CF24P	 HK25*6.3
	 HK20				 HK25*13.5
 LG19.5	 CI20				








产品规格 Standard Profiles

25.3MM	26MM	27MM	28MM	30MM
 I25.3	 I26	 HK27*6.3	 I28	 I30
 C25.3	 C26	 HK27*13.1	 C28	 C30
 CI25.3P	 T26P		 CF28	 HK30*6.3
 CG25.3				 HK30*11.2
 CF253P				 HK30*13.5








产品规格 Standard Profiles

32MM	34MM	35.3MM	39MM
 I32	 I34	 C35.3	 HK39*15.8
 C32	 C34	 HK35.3*6.3	 HK39*14.6
	 HK34*9.65	 HK35.3*11.2	 HK39*14.6
	 HK34*21.9	 HK35.3*13.7	
		 CU35.3	
		 HK35.3*11.4	

产品规格 Standard Profiles

40MM  CU40*9.4	44MM  C44	45.3MM  HK45.3*6.3
 CU40*14.4	 CG44	 HK45.3*11.2
	 HK44*15.2	

产品规格 Standard Profiles

54MM  C54	55MM  CI55	64MM  C64
 CG54	 CU55	 CG64
 HK54		 HK64

贝塔技术支持与服务

Beita Technical support and services

贝塔拥有专业的设计开发技术精英人员,设有行业内完整的标准化实验室,全方位为您提供以下技术服务:

Beita material with professional design and development technical elite personnel, with a complete standardization laboratory in the industry, to provide you with the following technical services:

- ◆ 新型隔热系统开发
Development of new thermal insulation system
- ◆ 隔热型材U值电脑测试与传热分析
Computer measurement and heat transfer analysis of U value of thermal insulation profile
- ◆ 隔热U值热箱实测
Measurement of sample window U-value heat box
- ◆ 隔热型材机械性能及老化测试
Mechanical properties and aging test of thermal insulation profiles
- ◆ 隔热新技术开发
Development of new insulation technologies



贝塔物流体系

Beta Logistics System



我们尽心为您赢取优势，便捷顺畅安全放心。
We try our best to win for you, convenient, smooth and safe.

我们从客户的需求出发，企业有完善自身的物流体系，能为更多客户提供仓储和运输等综合性物流服务，致力在货物流转过程中为客户提供全面的优质服务。

We start from the needs of customers, enterprises have improved their own logistics system, can provide more customers with warehousing and transportation and other comprehensive logistics services, committed to provide customers with comprehensive quality services in the process of goods transfer.

科

技 创 新 超 越 自 我

Technological innovation beyond self

· 站在巨人的肩膀上我们看得更远 ·

历史闪烁在奋进的瞬间，
一路上，我们不缀、不息，只为与您共精彩



下 诚信/创新/专业/共赢
he good faith innovation professional win-win



高新技术产业开发区



9001



ISO 14001:2015

AAA

企业信用等级

江苏贝塔隔热材料有限公司

JIANGSU BEITA INSULATION MATERIALS CO., LTD

公司地址：江苏省徐州市沛县杨屯镇沛北经济开发
区江龙路21-1#B区

公司邮箱：jsbeta@foxmail.com

办公电话：133-4375-9288

